## **Specification - Certified Reference Material**

# Certipur® Potassium Chloride Solution (nominal 1.41 mS/cm)

**Certified Reference Material for Measurement of Electrolytic Conductivity** 

#### **Accreditation:**





Merck KGaA, Darmstadt, Germany is accredited by the German accreditation authority as registered reference material producer (D-RM-15185-01-00) in accordance with **ISO 17034**.

**Producer:** Merck KGaA, Frankfurter Str. 250, 64293 Darmstadt, Germany

**Product no.:** 1.01553.0001

**Description of CRM:** Certipur® Potassium Chloride Solution (nominal 1.41 mS/cm)

Certified Reference Material for Measurement of Electrolytic Conductivity

**Expiry date:** 3 years

**Storage:** +2°C to +8°C tightly closed in the original container

**Composition:** KCl in  $H_2O$  ( $c_{KCl} = 0.01 \text{ mol/l}$ )

Specification	Associated uncertainty, <i>U=k·u</i> ( <i>k</i> =2)
1.390 - 1.430 mS/cm	± 1.08% (25°C)

Metrological traceability: This Certified Reference Material is directly traceable to the corresponding

primary reference material PTB-1.41mS/cm-xxx//xx characterized by PTB. PTB: Physikalisch Technische Bundesanstalt, Braunschweig, Germany

**Measurement method:** Electrolytic conductivity is measured by using a conductivity meter and calibrated

with Primary Reference Material.



Intended use: This certified reference material is intended for use in aqueous solution as a

calibration standard for the determination of the conductivity cell constant or as

a control sample.

Instructions for handling

and correct use:

The electrolytic conductivity is strongly dependent on the temperature. It is therefore necessary to keep the temperature constant within the measurement

cells (variation less than 0.1 K).

**Health and safety** information:

Please refer to the Safety Data Sheet for detailed information about the nature of

any hazard and appropriate precautions to be taken.

**Preparation:** This certified reference material is prepared gravimetrically from potassium

chloride (Cat. No.1.04936\*) and high purity water (Cat. No. 1.16754\*). After preparation the solution was allowed to equilibrate with atmospheric carbon dioxide. The certified value given above is based on this equilibrium condition

and the solution should not be degassed before use. \*Products used from Merck KGaA, Darmstadt, Germany

#### Associated uncertainty:

The expanded uncertainty  $U_{CRM}$  is calculated as  $U_{CRM} = k \cdot u_{CRM}$ , where k=2 is the coverage factor for a 95% coverage probability and  $u_{CRM}$  is the combined standard uncertainty in accordance to ISO 17034.

The combined uncertainty  $u_{CRM}$  is derived from combination of the squared uncertainty contributions:

$$\mathbf{u}_{CRM} = \sqrt{\mathbf{u}^2 \text{Characterisation} + \mathbf{u}^2 \text{Homogeneity} + \mathbf{u}^2 \text{Stability}}$$

is the uncertainty in accordance with DIN EN ISO/IEC 17025 which includes the **U**characterisation:

contributions of the primary reference material and the measuring system. The characterisation measurements have been conducted by our DAkkS accredited

calibration laboratory.

is the between-bottle variation in accordance with ISO 17034. The assessment Uhomogeneity:

of homogeneity is performed by analysis of a representative number of

systematically chosen sample units.

is the uncertainty obtained from short-term and long-term stability in accordance Ustability:

with ISO 17034. The stability studies are the basis for the quantification of the

expiry date of this reference material for the unopened bottle.

#### Informative values:

Temperature dependence<sup>1</sup>:

Temperature °C	Conductivity mS/cm	Temperature °C	Conductivity mS/cm
5	0.890	26	1.434
10	1.015	28	1.491
15	1.145	30	1.547
20	1.273	35	1.685
22	1.324	40	1.836
24	1.378	45	1.981
25	1.408	50	2.137

<sup>&</sup>lt;sup>1</sup>Temperature deviation data provided for reference only. Values are not batch-specific and should not be considered certified values.

### Detailed information is provided by the certificates and the certification report on our website.

The vibrant M, Supelco, Certipur and Sigma-Aldrich are trademarks of Merck KGaA, Darmstadt, Germany or its affiliates.

Detailed information on trademarks is available via publicly accessible resources.

© 2024 Merck KGaA, Darmstadt, Germany and/or its affiliates. All Rights Reserved.

The life science business of Merck KGaA, Darmstadt, Germany operates as MilliporeSigma in the U.S. and Canada.

