

Product Information

Peroxidase from horseradish

Sigma Type VI, essentially salt-free, lyophilized powder, ≥ 250 units/mg solid (using pyrogallol)

P8375

Product Description

EC Number: 1.11.1.7

CAS Registry Number: 9003-99-0

Synonym: Hydrogen peroxide oxidoreductase; HRP

Horseradish peroxidase (HRP) is isolated from the roots of horseradish (*Amoracia rusticana*) and belongs to the ferroporphyrin group of peroxidases. HRP readily combines with hydrogen peroxide (H_2O_2). The resultant [HRP- H_2O_2] complex can oxidize a wide variety of hydrogen donors:



HRP will oxidize various substrates (see Table 1):

- Chromogenic
- Chemiluminescent (such as luminol or isoluminol)
- Fluorogenic (such as tyramine, homovanillic acid, or 4-hydroxyphenyl acetic acid)

HRP is a single chain polypeptide that contains four disulfide bridges. HRP is a glycoprotein that contains 18% carbohydrate. The carbohydrate composition consists of galactose, arabinose, xylose, fucose, mannose, mannosamine, and galactosamine, depending upon the specific isozyme.¹

HRP is a widely used label for immunoglobulins in many different immunochemistry applications, including immunoblotting, immunohistochemistry, and ELISA. HRP can be conjugated to antibodies by several different methods, including glutaraldehyde, periodate oxidation, through disulfide bonds, and also via amino and thiol directed cross-linkers. HRP is the most desired label for antibodies, since it is the smallest and most stable of the three most popular enzyme labels (peroxidase, β -galactosidase, alkaline phosphatase) and its glycosylation leads to lower non-specific binding.² A review of glutaraldehyde and periodate conjugation methods has been published.³

Peroxidase is also utilized for the determination of glucose⁴ and peroxides⁵ in solution. Several publications,⁶⁻²⁴ theses,²⁵⁻²⁹ and dissertations³⁰⁻⁴⁶ have cited use of P8375 in their research protocols.

Precautions and Disclaimer

For R&D use only. Not for drug, household, or other uses. Please consult the Safety Data Sheet for information regarding hazards and safe handling practices.

Reagent

This product is supplied as an essentially salt-free, lyophilized powder.

Specific Activity: ≥ 250 units/mg solid (pyrogallol as substrate)

Unit definition (purpurogallin): One unit will form 1.0 mg of purpurogallin from pyrogallol in 20 seconds at pH 6.0 at 20 °C. This unit is equivalent to $\sim 18 \mu\text{M}$ units per minute at 25 °C.

RZ (Reinheitszahl): 2.5 – 4.0

RZ is the absorbance ratio A_{403}/A_{275} determined at 0.5-1.0 mg/mL in deionized water. RZ is a measure of hemin content, **not** enzymatic activity. Even preparations with high RZ values may have low enzymatic activity.

Total molecular mass:⁴⁷ ~ 44 kDa ($\sim 44,000$ Da)

- Polypeptide chain: 33,890 Da
- Hemin plus Ca^{2+} : ~ 700 Da
- Carbohydrate: 9,400 Da

Extinction coefficient:⁴⁸ $\text{E}^{\text{mM}} = 100$ (403 nm)

Optimal pH range:⁴⁹ 6.0-6.5 (activity at pH 7.5 is 84% of the maximum)

The enzyme is most stable in the pH range of 5.0-9.0.

Isoelectric point:¹ isozymes range from 3.0-9.0 (at least seven isozymes)

Inhibitors:⁵⁰ sodium azide; cyanide; L-cystine; dichromate; ethylenethiourea; hydroxylamine; sulfide; vanadate; *p*-aminobenzoic acid; Cd^{2+} , Co^{2+} , Cu^{2+} , Fe^{3+} , Mn^{2+} , Ni^{2+} , Pb^{2+} ions

Preparation Instructions

This product is soluble in water or 0.1 M phosphate buffer, pH 6.0.

Storage/Stability

Store the product at 2-8 °C. The enzyme remains active for at least five years. The product may also be stored at -20 °C, if desired. The lyophilized powder will retain at least 80% of its activity after two weeks at 37 °C.

A 1 mg/mL solution in 0.1 M phosphate buffer, pH 6.0, remains active for at least two weeks at room temperature. A solution retains activity after 5 freeze-thaw cycles.

References

1. Shannon, L.M. *et al.*, *J. Biol. Chem.*, **241(9)**, 2166-2172 (1966).
2. Deshpande, S.S., *Enzyme Immunoassays, From Concept to Product Development*. Chapman and Hall (New York, NY), pp. 169-171 (1996).
3. Harlow, E. and Lane, D., *Antibodies: A Laboratory Manual*. Cold Spring Harbor Laboratory Press (Cold Spring Harbor, NY), pp. 346-348 (1988).
4. Bergmeyer, H.-U. *et al.*, *Methods of Enzymatic Analysis*, 2nd ed. (Bergmeyer, H.-U., ed.). Verlag Chemie/Academic Press, pp. 1205-1227 (1974).
5. Bernt, E. and Bergmeyer, H.-U., *Methods of Enzymatic Analysis*, 2nd ed., pp. 2246-2248 (1974).
6. Näslund, B. *et al.*, *J. Lipid. Res.*, **34(4)**, 633-641 (1993).
7. Hayes, W.K. *et al.*, *Toxicol.*, **31(7)**, 881-887 (1993).
8. Van Nieuwenhoven, F.A. *et al.*, *Circulation*, **92(10)**, 2848-2854 (1995).
9. Larisch, B.C., and Duff, S.J.B., *Wat. Res.*, **31(7)**, 1694-1700 (1997).
10. Wodzig, K.W. *et al.*, *Ann. Clin. Biochem.*, **34(Pt 3)**, 263-268 (1997).
11. Bar-Nun, N. *et al.*, *FEMS. Microbiol. Lett.*, **217(1)**, 121-124 (2002).
12. Szyndol, A. *et al.*, *Antimicrob. Agents. Chemother.*, **48(9)**, 3390-3395 (2004).
13. Suderman, R.J. *et al.*, *Insect Biochem. Mol. Biol.*, **40(3)**, 252-258 (2010).
14. ter Haar, R. *et al.*, *Carbohydr. Res.*, **346(8)**, 1005-1012 (2011).
15. Johnson, N. *et al.*, *J. Natl. Cancer. Inst.*, **104(9)**, 657-759 (2012).
16. Zaeem Cader, M. *et al.*, *Nat. Immunol.*, **17(9)**, 1046-1056 (2016).
17. Hartley, C.J. *et al.*, *PLoS One*, **12(11)**, e0184183 (2017).
18. Chanda, D. *et al.*, *eLife*, **10**, e68049 (2021).
19. Flor, S. *et al.*, *Antioxidants (Basel)*, **10(12)**, 1988 (2021).
20. Matas-Rico, E. *et al.*, *Cell Rep.*, **37(7)**, 110013 (2021).
21. Ni, X. *et al.*, *J. Am. Chem. Soc.*, **143(33)**, 13325-13332 (2021).
22. Poli, V. *et al.*, *iScience*, **24(11)**, 103256 (2021).
23. Saghati, S. *et al.*, *BMC Res. Notes*, **14(1)**, 384 (2021).
24. Tornin, J. *et al.*, *Nat. Protoc.*, **16(6)**, 2826-2850 (2021).
25. Blanchard, Renee, "Spatial and temporal distribution of hydrogen peroxide in the equatorial Pacific Ocean". Colby College, Senior Honors thesis, p. 10 (May 1991).
26. Orchard, Robert Graham, "A Flow-Through Enzyme-Linked Immunoassay for Progesterone". University of Waikato, M.Sc. thesis, pp. 30, 31, 101 (2007).
27. Putman, Sarah, "Gonadal and adrenal hormone patterns in African lions (*Panthera leo*) of diverse age and reproductive success". George Mason University, M.S. thesis, p. 90 (2015).
28. Zukas, Heather, "Development of a Three-Dimensional *In Vitro* Tissue Model of the Human Lung Alveolus". Tufts University, M.S. thesis, p. 34 (August 2017).
29. Friedly, Nina, "Investigation of Reactive Oxygen Species Production in the Rat Lung Using Optical Imaging". Marquette University, M.S. thesis, p. 58 (May 2018).
30. Hindle, Joanne Elizabeth, "Reproductive Assessment in Female African Rhinoceroses by Urinary Steroid Analysis". University of London, Ph.D. dissertation, p. 115 (1990).
31. Passera, Elisabetta, "Biochemical characterization of human kynurenine aminotransferase II (hKAT II): a drug target for cognitive diseases". Università degli Studi di Parma, Ph.D. dissertation, pp. 69, 70, 98, 99, 116 (2011).
32. Marcano, Daniela C., "Synthesis, Characterization, and Biological Uses of Carbon Nanoparticles". Rice University, Ph.D. dissertation, p. 4 (2012).

MERCK

33. Kalra, Sonam, "The distribution and pro-inflammatory impact of titanium debris accumulation in the peri-implant environment". University of Birmingham, Ph.D. dissertation, p. 105 (September 2013).
34. Haas, Kerstin Elisabeth, "Diet induced obesity differentially affects mitochondrial function in skeletal muscle and liver of C57BL/6J mice". Technischen Universität München, Dr. rer. nat. dissertation, p. 122 (2014).
35. Borges, Alexandre Filipe Guerreiro, "The grapevine defences: Walking towards the 'hidden' role of dirigent proteins in *Vitis vinifera* secondary metabolism". Universidade Nova de Lisboa, Ph.D. dissertation, p. 126 (2014).
36. Odeyemi, Samuel Wale, "A comparative study of the *in vitro* antidiabetic properties, cytotoxicity and mechanism of action of *Albuca bracteata* and *Albuca setosa* bulb extracts". University of Fort Hare, Ph.D. dissertation, p. 81 (June 2015).
37. Schöttl, Theresa, "Novel experimental strategies to assess the interplay between white adipocyte mitochondrial bioenergetics and systemic glucose homeostasis in C57BL/6 mice". Technischen Universität München, Dr. rer. nat. dissertation, p. 95 (2015).
38. Yang, Yuhue Renee, "DNA Nanostructures as Programmable Biomolecular Scaffolds for Enzymatic Systems". Arizona State University, Ph.D. dissertation, p. 133 (May 2016).
39. Baumann, Andre, "New tools for maggot debridement therapy research: From the establishment of qRT-PCR to the characterization of *Lucilia sericata* Urate Oxidase". Justus-Liebig-Universität Gießen, Dr. rer. nat. dissertation, p. 70 (February 2017).
40. Tothill, Alexander M., "Developing a Proof of Principle 3D-Printed Lab-On-A-Disc Assay Platform". Cranfield University, Ph.D. dissertation, p. 234 (May 2017).
41. Brown, Jacob Levi, "Cancer-Induced Muscle Wasting". University of Arkansas, Ph.D. dissertation, pp. 205, 206 (May 2018).
42. Garnham, Jack Oliver, "Mechanisms of exercise intolerance in chronic heart failure and type 2 diabetes mellitus". University of Leeds, Ph.D. dissertation, p. 72 (September 2018).
43. Tran, Jason, "An F-actin point pattern cluster analysis with Triangulation algorithms". University of New South Wales, Ph.D. dissertation, p. 67 (September 2018).
44. Buck, Chelsea, "Characterization and functionalization of suckerin-12 protein hydrogels". University of Dayton, Ph.D. dissertation, pp. 41, 67, 99 (December 2018).
45. Pantarelli, Chiara, "The P-Rex1 Regulator Norbin Suppresses Neutrophil-Dependent Antibacterial Immunity". University of Cambridge, Ph.D. dissertation, p. 67 (August 2019).
46. Shah, Riddhi Shalibhadra, "Visualization of Structural Changes in Thermochemically Pretreated Plant Cell Wall Polymers ". University of Tennessee Knoxville, Ph.D. dissertation, p. 209 (May 2020).
47. Welinder, K.G., *Eur. J. Biochem.*, **96(3)**, 483-502 (1979).
48. Delincée, H. and Radola, B.J., *Eur. J. Biochem.*, **52(2)**, 321-330 (1975).
49. Schomberg, D., Salzmänn, M., and Stephan, D., *Enzyme Handbook 7*, EC 1.11.1.7, 1-6 (1993).
50. Zollner, H., *Handbook of Enzyme Inhibitors*, 2nd ed., Part A. VCH Verlagsgesellschaft, pp. 367-368 (1993).

Notice

We provide information and advice to our customers on application technologies and regulatory matters to the best of our knowledge and ability, but without obligation or liability. Existing laws and regulations are to be observed in all cases by our customers. This also applies in respect to any rights of third parties. Our information and advice do not relieve our customers of their own responsibility for checking the suitability of our products for the envisaged purpose.

The information in this document is subject to change without notice and should not be construed as a commitment by the manufacturing or selling entity, or an affiliate. We assume no responsibility for any errors that may appear in this document.

Technical Assistance

Visit the tech service page at SigmaAldrich.com/techservice.

Standard Warranty

The applicable warranty for the products listed in this publication may be found at SigmaAldrich.com/terms.

Contact Information

For the location of the office nearest you, go to SigmaAldrich.com/offices.



Table 1. Peroxidase Substrates

Substrate	Cat. No. or Cat. Nos.	Color Reaction	End Product	Applications
2,2'-Azino-bis(3-Ethylbenzthiazoline-6-Sulfonic Acid; ABTS)	A3219, A9941	Green	Soluble	ELISA
o-Phenylenediamine (OPD)	P9187	Orange	Soluble	ELISA
3,3',5,5'-Tetramethylbenzidine (TMB)	T8665, T3405	Blue	Soluble	ELISA
	T0565	Deep Blue	Insoluble	Blotting
o-Dianisidine	D9154	Yellow-Orange	Soluble	ELISA
5-Aminosalicylic Acid (5AS)	A79809, A3537	Brown	Soluble	ELISA
3,3'-Diaminobenzidine (DAB)	D7304, D5905, D4168, D4293, D4418, D7679	Brown	Insoluble	Blotting, Histochemistry
	D0426	Blue-Black		
4-Chloro-1-Naphthol (4C1N)	C6788	Blue	Insoluble	Blotting
3-Amino-9-Ethylcarbazole (AEC)	AEC101, A6926	Red	Insoluble	Blotting
CPS-1	CPS160, CPS1A120, CPS1A300	Chemiluminescent	Soluble	Blotting
CPS-3	CPS350, CPS3100, CPS3500			
CPS-2	CPS260	Chemiluminescent	Soluble	ELISA

Table 2. Other Grades of HRP Available

Cat. No.	RZ value	Specific Activity (*)
P8250	≥ 1.8	150 – 250 units/mg solid
P2088	2.6 – 3.4	200-300 units/mg solid
P8415	≥ 3.0	≥ 250 units/mg solid
P8125	≥ 1.0	50-150 units/mg solid
P6782	2.5 – 4.0	≥ 250 units/mg solid
P6140	2.5 – 3.5	≥ 225 units/mg protein

(*) Specific activity is reported in terms of purpurogallin units.

The life science business of Merck operates
as MilliporeSigma in the U.S. and Canada.

Merck and Sigma-Aldrich are trademarks of Merck KGaA, Darmstadt, Germany or its affiliates.
All other trademarks are the property of their respective owners. Detailed information on
trademarks is available via publicly accessible resources.

© 2022 Merck KGaA, Darmstadt, Germany and/or its affiliates. All Rights Reserved.

P8375dat Rev 02/22 RBG,MAM,GCY