3050 Spruce Street, St. Louis, MO 63103 USA
Tel: (800) 521-8956 (314) 771-5765 Fax: (800) 325-5052 (314) 771-5757
email: techservice@sial.com sigma-aldrich.com

Product Information

D-Amphetamine hemisulfate salt solution 1.0 mg/mL±5% in methanol drug standard

Catalog Number **A3278**Lot Number 108K87121
Storage Temperature 2–8 °C

CAS RN 51-63-8

Synonyms: Dextroamphetamine sulfate salt; (+)- α -Methylphenethylamine sulfate salt; (+)- α -Methylbenzeneethaneamine sulfate; Phenyl-2-aminopropane sulfate; Phenaminum

Product Description

Molecular Formula: $C_9H_{13}N_1 \cdot 0.5 \ H_2SO_4$

Molecular Weight: 184.25

DEA Class: Exempt preparation of Class II

Concentration: 1.34 mg of D-Amphetamine hemisulfate (equivalent to 0.98 mg of free base)/mL of GC grade methanol, concentration verified by UV.

Expiration Date: January 2012

Precautions and Disclaimer


This product is for R&D use only, not for drug, household, or other uses. Please consult the Material Safety Data Sheet for information regarding hazards and safe handling practices.

Storage/Stability

Store the product at 2–8 °C. If stored at 2–8 °C in an airtight container, protected from light, decomposition of the product is less than 1% in 48 months. After opening, concentration may change due to loss of solvent.


CMW,MAM 11/09-1

70 eV Electron Ionization Mass Spectrum



Hewlett-Packard 5890 Series II Gas Chromatograph Hewlett-Packard 5971 Mass Selective Detector Hewlett-Packard G1034C MS ChemStation (HP-DOS series)





(wavenumbers cm⁻¹) Nicolet Magna IR Spectrometer Series II

Ultraviolet Spectrum


Peak 257 nm Absorbance 0.715


Solvent Methanol


Dilution 1:1 (v/v)

Capillary Gas Chromatography

Column Supelco SPB-1 (Catalog Number 24162)
I.D. 0.20 mm Length 15 m Film Thickness 0.20 μm
Oven Temperature 50 °C (2 minutes), then
15 °C/minute to 300 °C, hold 11 minutes
Injector Temperature 250 °C, Splitless
Detector Hewlett-Packard 5971
Mass Selective Detector (70 eV, 40-500 m/z)







Sigma brand products are sold through Sigma-Aldrich, Inc.
Sigma-Aldrich, Inc. warrants that its products conform to the information contained in this and other Sigma-Aldrich publications. Purchaser must determine the suitability of the product(s) for their particular use. Additional terms and conditions may apply. Please see reverse side of the invoice or packing slip.