Specification - Certified Reference Material

Certipur® Potassium Chloride Solution (nominal 0.147 mS/cm)

Certified Reference Material for Measurement of Electrolytic Conductivity

Accreditation:





Merck KGaA, Darmstadt, Germany is accredited by the German accreditation authority as registered reference material producer (D-RM-15185-01-00) in accordance with **ISO 17034**.

Producer: Merck KGaA, Frankfurter Str. 250, 64293 Darmstadt, Germany

Product no.: 1.01557.0500

Description of CRM: Certipur® Potassium Chloride Solution (nominal 0.147 mS/cm)

Certified Reference Material for Measurement of Electrolytic Conductivity

Expiry date: 3 years

Storage: +15°C to +25°C tightly closed in the original container

Composition: KCl in H_2O ($c_{KCl} = 0.001 \text{ mol/l}$)

Specification	Associated uncertainty, $U=k\cdot u$ $(k=2)$
0.144 - 0.150 mS/cm	± 1.41% (25°C)

Metrological traceability: This Certified Reference Material is directly traceable to the corresponding

primary reference material PTB-0.147mS/cm-xxx//xx characterized by PTB.

PTB: Physikalisch Technische Bundesanstalt, Braunschweig, Germany

Measurement method: Electrolytic conductivity is measured by using a conductivity meter and calibrated

with Primary Reference Material.



Intended use: This certified reference material is intended for use in aqueous solution as a

calibration standard for the determination of the conductivity cell constant or

as a control sample.

Instructions for handling

and correct use:

The electrolytic conductivity is strongly dependent on the temperature. It is therefore necessary to keep the temperature constant within the measurement

cells (variation less than 0.1 K).

Health and safety information:

Please refer to the Safety Data Sheet for detailed information about the nature of

any hazard and appropriate precautions to be taken.

Preparation: This certified reference material is prepared gravimetrically from potassium

chloride (Cat. No.1.04936*) and high purity water (Cat. No. 1.16754*). After preparation the solution was allowed to equilibrate with atmospheric carbon dioxide. The certified value given above is based on this equilibrium condition

and the solution should not be degassed before use. *Products used from Merck KGaA, Darmstadt, Germany

Associated uncertainty:

The expanded uncertainty U_{CRM} is calculated as $U_{CRM} = k \cdot u_{CRM}$, where k=2 is the coverage factor for a 95% coverage probability and u_{CRM} is the combined standard uncertainty in accordance to ISO 17034.

The combined uncertainty u_{CRM} is derived from combination of the squared uncertainty contributions:

$$\mathbf{u}_{CRM} = \sqrt{\mathbf{u}^2 \text{Characterisation} + \mathbf{u}^2 \text{Homogeneity} + \mathbf{u}^2 \text{Stability}}$$

is the uncertainty in accordance with DIN EN ISO/IEC 17025 which includes the **U**characterisation:

contributions of the primary reference material and the measuring system. The characterisation measurements have been conducted by our DAkkS accredited

calibration laboratory.

is the between-bottle variation in accordance with ISO 17034. The assessment Uhomogeneity:

of homogeneity is performed by analysis of a representative number of

systematically chosen sample units.

is the uncertainty obtained from short-term and long-term stability in accordance Ustability:

with ISO 17034. The stability studies are the basis for the quantification of the

expiry date of this reference material for the unopened bottle.

Informative values:

Temperature dependence¹:

Conductivity mS/cm	Temperature °C	Conductivity mS/cm
0.092	26	0.150
0.105	28	0.156
0.119	30	0.162
0.133	35	0.176
0.138	40	0.192
0.144	45	0.209
0.147	50	0.225
	mS/cm 0.092 0.105 0.119 0.133 0.138 0.144	mS/cm °C 0.092 26 0.105 28 0.119 30 0.133 35 0.138 40 0.144 45

¹Temperature deviation data provided for reference only. Values are not batch-specific and should not be considered certified values.

Detailed information is provided by the certificates and the certification report on our website.

The vibrant M, Supelco, Certipur and Sigma-Aldrich are trademarks of Merck KGaA, Darmstadt, Germany or its affiliates.

Detailed information on trademarks is available via publicly accessible resources.

© 2025 Merck KGaA, Darmstadt, Germany and/or its affiliates. All Rights Reserved.

The life science business of Merck KGaA, Darmstadt, Germany operates as MilliporeSigma in the U.S. and Canada.

