

Product Information

Adenosine 5'-[y-thio] triphosphate tetralithium salt

≥75% (HPLC), powder

A1388

Product Description

This product is a non-hydrolyzable ATP analog phosphorothioate. It effectively cannot be hydrolyzed by ATPase (the rate of hydrolysis is 1/200th that of normal ATP).¹ Phosphorothioates or phosphothioates are compounds where one oxygen of a phosphate is replaced with a sulfur. This modification is most often used with nucleotide analogues:

- Cyclic-phosphorothioate, cAMP analog (Cat. No. A7580)
- a-phosphorothioate, AMP analog (Cat. No. A1640)
- β-phosphorothioates, ADP analog (Cat. No. A8016)
- GDP analog (Cat. No. G7637)
- γ-phosphorothioates, ATP analog (Cat. No. A1388)
- GTP analog (Cat. No. G 8634)

This material is an inhibitor of alkaline phosphatase and a substrate for *E. coli* DNA-dependent RNA polymerase ($K_M = 3.8 \times 10^{-5}M$). It can also be hydrolyzed by snake-venom phosphodiesterase. ATP- γ -S can be translocated by mitochondrial ATP/ADP translocase, and it is a potent inhibitor of ATP-driven reverse electron transport.²

Precautions and Disclaimer

For R&D use only. Not for drug, household, or other uses. Please consult the Safety Data Sheet for information regarding hazards and safe handling practices.

Preparation Instructions

This product is soluble water (10 mg/mL), yielding a clear solution.

The life science business of Merck KGaA, Darmstadt, Germany operates as MilliporeSigma in the U.S. and Canada.

operates as MilliporeSigma in the U.S. and Canada.

MilliporeSigma and Sigma-Aldrich are trademarks of Merck KGAA Darmstadt.

MilliporeSigma, and Sigma-Aldrich are trademarks of Merck KGaA, Darmstadt, Germany or its affiliates. All other trademarks are the property of their respective owners. Detailed information on trademarks is available via publicly accessible resources.

© 2022 Merck KGaA, Darmstadt, Germany and/or its affiliates. All Rights Reserved.

A1388-Dat Rev09/22

References

- Yasuoka, K., et al., Interaction of adenosine-5'-O- (3-thiotriphosphate) with Ca²⁺, Mg²⁺-adenosine triphosphatase of sarcoplasmic reticulum. J. Biochem. (Tokyo), 91, 1629-1637 (1982).
- 2. Data for Biochemical Research, 3rd ed., Dawson, R. M. C., et al., Oxford University Press (NewYork, NY: 1986), p. 261.

Notice

We provide information and advice to our customers on application technologies and regulatory matters to the best of our knowledge and ability, but without obligation or liability. Existing laws and regulations are to be observed in all cases by our customers. This also applies in respect to any rights of third parties. Our information and advice do not relieve our customers of their own responsibility for checking the suitability of our products for the envisaged purpose.

The information in this document is subject to change without notice and should not be construed as a commitment by the manufacturing or selling entity, or an affiliate. We assume no responsibility for any errors that may appear in this document.

Technical Assistance

Visit the tech service page at SigmaAldrich.com/techservice.

Standard Warranty

The applicable warranty for the products listed in this publication may be found at SigmaAldrich.com/terms.

Contact Information

For the location of the office nearest you, go to SigmaAldrich.com/offices.

