

Product Information

Phosphatase Inhibitor Cocktail 3

DMSO solution, for serine/threonine protein phosphatases and L-isozymes of alkaline phosphatase

P0044

Product Description

Crude cell extracts contain various endogenous enzymes, such as proteases and phosphatases, which can modify proteins present in the extract. The best way to improve the yield of native proteins is to add inhibitors of these enzymes which may be present in the source material.

Phosphatase Inhibitor Cocktail 3 has been tested on extracts from various animal tissues, such as human placenta and bovine liver, and on extracts of A431, CHO, and U937 cells. P0044 has been optimized and tested for L-isozymes of alkaline phosphatase as measured with p-nitrophenyl phosphate (pNPP) at pH 10.4, as well as for serine/threonine protein phosphatases (protein phosphatases 1 and 2A) as measured by dephosphorylation of 32 P-Ser phosphorylase-a at pH 7.5.

The individual components of this proprietary formulation have specific inhibitory properties:

- Cantharidin: inhibits protein phosphatase 2A (PP-2A)¹
- (-)-p-Bromolevamisole oxalate: inhibits L-isoforms of alkaline phosphatases²
- Calyculin A: inhibits protein phosphatases 1 and 2A (PP-1 and PP-2A)^{3,4}

Several theses⁵ and dissertations⁶⁻²³ have cited use of product P0044 in their protocols.

Precautions and Disclaimer

For R&D use only. Not for drug, household, or other uses. Please consult the Safety Data Sheet for information regarding hazards and safe handling practices.

Product

P0044 is supplied as a clear solution in dimethyl sulfoxide (DMSO).

Storage/Stability

The cocktail is shipped on cooler packs ('wet ice'). Long-term storage at 2-8 °C is recommended. P0044, as supplied, is stable for two years.

Usage

The recommended dilution of P0044 in biological extracts is 1 mL of the cocktail per 500 mg of protein extracted from tissue or cells. In many cases, the cocktail can be used at a final concentration of 1% (v/v, 1 mL of cocktail solution per 100 mL of extraction buffer).

A 1% (v/v) final concentration of the cocktail in extraction buffer will inhibit phosphatase activities found in the 27,000 \times g supernatant from human placenta and bovine liver, and in the 100,000 \times g supernatant from A431, CHO, and U937 cell extracts, with a protein concentration of \sim 5 mg/mL.

References

1

- Honkanen, R.E., FEBS Lett., 330(3), 283-286 (1993).
- Onsgard-Meyer, M. et al., Proc. Soc. Exp. Biol. Med., 213(2), 193-195 (1996).
- Runnegar, M.T. et al., J. Pharmacol. Exp. Ther., 273(1), 545-553 (1995).
- Peirce, M.J. et al., Am. J. Physiol., 277(6), C1021-C1028 (1999).
- Chan, Allan W., "Investigating the Role of PKC And Its Mechanisms in Regulation of IGF-I Bioavailability in Fetal Growth Restriction". University of Western Ontario, M.Sc. thesis, p. 27 (2021).
- 6. Valvezan, Alexander James, "Novel Roles for the Tumor Suppressor APC Through Regulation of GSK-3". University of Pennsylvania, Ph.D. dissertation, pp. 53, 99 (2013).



- 7. Fannin, Jacqueline C., "Cardiovascular Aging in the Female F344xBN Rat Model". Marshall University, Ph.D. dissertation, p. 93 (2014).
- 8. Mahapatra, Gargi, "Regulation of Cytochrome C Functions by Phosphorylation". Wayne State University, Ph.D. dissertation, pp. 30 (2016).
- 9. Puente, Cindy, "Sensing and Relaying the Autophagic Signal by the ULK1 Kinase Complex". Memorial Sloan-Kettering Cancer Center, Ph.D. dissertation, pp. 73, 78, 121 (2016).
- Herlihy, Anna Elizabeth, "The DNA replication stress checkpoint transcriptional response and its role in replication stress tolerance". University College London, Ph.D. dissertation, pp. 53, 55 (2017).
- 11. Lane, Elizabeth, "Regulation of Hepatic Fuel Utilization and Storage Through BAD-dependent Glucose Signaling". Harvard University, Ph.D. dissertation, p. 66 (2018).
- 12. Monahan, Zachary, "Phosphorylation in the Prion-Like Domain of Fused-In-Sarcoma: A Critical Mediator of Aggregation and Toxicity". Uniformed Services University of the Health Sciences, Ph.D. dissertation, p. 40 (2018).
- 13. Raval, Pooja, "Estrogens regulate the synaptic proteome in a sexually dimorphic manner through local protein synthesis". King's College London, Ph.D. dissertation, p. 51 (2018).
- 14. Baeken, Marius Wilhelm, "Epigenetic remodeling through a mitochondrial redox signal in an experimental model of Parkinson's disease". Johannes Gutenberg Universität Mainz, Dr. rer. nat. dissertation, p. 29 (2019).
- 15. Li, Dan, "Engineering Affinity and Specificity of Antibodies Targeting Protein Modifications". University of Connecticut Storrs, Ph.D. dissertation, p. 72 (2019).
- 16. Thayer, Julia Adele, "The Characterization of the PARK10 Gene USP24 in Autophagy and Mitophagy". University of Maryland School of Medicine, Ph.D. dissertation, p. 71 (2019).
- 17. Wong, Jason P., "Role of Kinases in Kaposi's Sarcoma-Associated Herpesvirus Pathogenesis". University of North Carolina, Ph.D. dissertation, p. 30 (2019).
- 18. Aguirre, Ana Lucia Cabello, "The *Brucella* Effector Grhg1 Reprograms the Host *N*-Glycome to Sustain Infection". Texas A&M University, Ph.D. dissertation, p. 111 (2020).

- Sridharan, Sangita, "The Role of Eukaryotic Translation Initiation Factor 4A1 in Breast Cancer Chemoresistance". University of Toledo, Ph.D. dissertation, p. 82 (2020).
- Brito, David Vilhena Catarino, "Molecular Mechanisms of Memory Formation and Persistence in the Adult and Aged Brain". Ruperto Carola University Heidelberg, Dr. rer. nat. dissertation, p. 37 (2021).
- 21. Hayne, Margaret, "Linking Neuronal Protein Phosphatase 2A to the DLK Stress Kinase Signaling Cascade". Washington University in St. Louis, Ph.D. dissertation, p. 34 (2021).
- 22. Sharma, Aman, "Mechanism of DNA Damage Associated with Estrogen Receptor Alpha-Interplay of Non-Canonical DNA Secondary Structures". University of Massachusetts Amherst, Ph.D. dissertation, p. 30 (2021).
- 23. Frando, Andrew, "The *Mycobacterium tuberculosis* protein *O*-phosphorylation landscape". University of Washington, Ph.D. dissertation, p. 22 (2022).

Notice

We provide information and advice to our customers on application technologies and regulatory matters to the best of our knowledge and ability, but without obligation or liability. Existing laws and regulations are to be observed in all cases by our customers. This also applies in respect to any rights of third parties. Our information and advice do not relieve our customers of their own responsibility for checking the suitability of our products for the envisaged purpose.

The information in this document is subject to change without notice and should not be construed as a commitment by the manufacturing or selling entity, or an affiliate. We assume no responsibility for any errors that may appear in this document.

Technical Assistance

Visit the tech service page at SigmaAldrich.com/techservice.

Standard Warranty

The applicable warranty for the products listed in this publication may be found at SigmaAldrich.com/terms.

Contact Information

For the location of the office nearest you, go to SigmaAldrich.com/offices.

The life science business of Merck operates as MilliporeSigma in the U.S. and Canada.

Merck and Sigma-Aldrich are trademarks of Merck KGaA, Darmstadt, Germany or its affiliates. All other trademarks are the property of their respective owners. Detailed information on trademarks is available via publicly accessible resources.

